



<https://www.printo.it/pediatric-rheumatology/TW/intro>

1. SHARE (Supporting Health And Research in Europe)
   
 2. PRINTO (Paediatric Rheumatology International Trial Organisation)

## 1. SHARE

### 1.1. SHARE

SHARE is a multi-centre, multi-country study of juvenile idiopathic arthritis (JIA) in Europe. It is the largest study of JIA ever conducted. The study is funded by the European Union (EU) and the PRINTO.

### 1.2. SHARE

The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.

### 1.3. SHARE

The SHARE study is a multi-centre, multi-country study of JIA in Europe. It is the largest study of JIA ever conducted. The study is funded by the European Union (EU) and the PRINTO.

### 1.4. SHARE

The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.
   
 The primary aim of the SHARE study is to determine the prevalence of JIA in Europe. The secondary aims are to describe the clinical features of JIA and to investigate the genetic and environmental factors associated with the disease.